





透科自动化









DHCP

	MAC	IP	状态
1	7C : BA : CC : 15 : 82 : 3E	192 . 168 . 0 . 1	未分配

添加MAC
删除MAC

启动服务
关闭服务

加载配置
保存配置

DHCP 启动单 启模块 来源被分配新的IP地址

信息栏



DHCP

	MAC	IP	状态
1	7C : BA : CC : 15 : 82 : 3E	192 . 168 . 0 . 3	分配成功

添加MAC
删除MAC

启动服务
关闭服务


加载配置
保存配置



DHCP 启动单 启模块 来源被分配新的IP地址




信息栏




```




[23-Mar-23 10:50:19] Warning: Interface 192.168.10.19 is not Static, ignored
[23-Mar-23 10:50:19] Lease URL: http://127.0.0.1:6789
[23-Mar-23 10:50:19] Listening On: 192.168.0.211
[23-Mar-23 10:50:20] DHCPREQUEST for 7c:ba:cc:15:82:3e () from interface 192.168.0.211
[23-Mar-23 10:50:20] Host 7c:ba:cc:15:82:3e (Host7cbacc15823e) allotted 192.168.0.3 for 3000 seconds
[23-Mar-23 10:50:22] Network changed, reinitializing Static IP
  
```









CC-Link IEF Basic诊断

CC-Link IE Field Basic

IP地址显示切换
 10进制(D) 16进制(H)

对象模块指定
 CPU(P) 模块(U)

监视状态
监视中 监视开始(S) 监视停止(T)

主站状态

站总数	1	IP地址	192.168.0.150	错误代码	无错误	错误详细(E)...
-----	---	------	---------------	------	-----	------------

概略诊断

链接扫描时间/错误状态



读科自研
LATCOS

读科自研自主研发

